



BRUSH-PROTECTED TRANSPORT RACKS

Different glass. Different handling needs.

Purpose-built →

Modular →

Mobile →

UNIQUE FEATURES

Protect every panel. Improve every movement.



Side brush protection



Direct access to every panel



Brush configurations for IG & Flat Glass



Durable HMPE 1000 base

CONFIGURATION MATRIX

Choose the right configuration

Standard
W= 43.3 in, L= 59.1 in, H= 43.3 in

IG
Insulated / double glazing
29 slots

STANDARD CONFIGURATION



**IG
Standard**
\$1449

Standard-height rack for insulated glass units and ergonomic loading.

Flat glass
Mirrors, doors, monolithic glass, ...
45 slots

STANDARD CONFIGURATION



**Flat Glass
Standard**
\$2049

Standard-height rack for mirrors, doors and flat glass components.

High
W= 43.3 in, L= 59.1 in, H= 61 in

HIGH CONFIGURATION



**IG
High**
\$1749

High configuration for IG workflows requiring additional vertical support.

HIGH CONFIGURATION



**Flat Glass
High**
\$2449

High configuration for taller flat glass and project components.

All racks include

- Optional wheels for transport \$250

MOBILITY

Move panels with ease



Move with
pallet jack



Move with
forklift



Add wheels
for transport

WINDOW DEALER RACK

From flat glass to finished window.


Flat glass and IG units ride on brush-protected carts. Finished windows ride on the window dealer rack. All three are numbered, so units stay in sequence — for production order or for easy picking.

13 Numbered Slots


Keep windows and large items organized and secure with numbered slots for quick, easy access.

3.75" Slot Separation

Perfectly spaced for most vinyl windows, ensuring safe storage without risk of damage.



Side view




Front view



\$530

Optional wheels for transport \$250



Available lengths:

60"

72"

94"

120"

Explore all specifications
and configurations

deltarackusa.com →

sales@deltarackusa.com

440-786-2444

